




**COMMERCIAL STORAGE TANK
REPLACEMENT PARTS LIST
80, 120 and 200 Gallon Models**



***Effective: December, 2008
ECO 7422***

**NOTE: BOTH MODEL AND SERIAL
NUMBERS ARE REQUIRED FOR
ORDERING REPLACEMENT PARTS**

Dimensions and specifications
subject to change without notice.



| Item | Description | Model | Model | Model | Model | Model |
|------|---|--------------|--------------|--------------|--------------|--------------|
| 1 | Hole Closure | M3ST80R5 | M3ST80R5A | M3ST120R5 | M3ST120R5A | M3ST200R5A |
| 2 | Anode Rod (Magnesium) | 239-31547-02 | 239-31547-02 | 239-31547-02 | 239-31547-02 | 239-31547-02 |
| 3 | Anode Rod (Aluminum) (Optional) | 224-32758-14 | 224-32758-14 | 224-32758-14 | 224-32758-14 | 224-32758-30 |
| 4 | Inlet/Outlet Nipple 2" NPT X 3 1/2 | --- | --- | 224-38508-01 | 224-38508-01 | 224-38508-01 |
| 5 | Inlet/Outlet Nipple 2 1/2" NPT X 3 1/2 (Optional) | 229-32762-17 | 229-32762-17 | 229-32762-17 | 229-32762-17 | 229-32762-17 |
| 6 | Trim Ring-Grey | --- | --- | 229-32762-22 | 229-32762-22 | 229-32762-22 |
| 7 | T&P Relief Valve* | 239-32793-05 | 239-32793-05 | 239-32793-05 | 239-32793-05 | 239-32793-05 |
| 8 | Finished Flange | 239-41414-00 | 239-41414-00 | 239-41414-00 | 239-41414-00 | 239-41414-00 |
| 9 | Brass Drain Valve | 265-42351-02 | 265-42351-02 | 265-42351-04 | 265-42351-04 | 265-42351-04 |
| 10 | Screw #8-18 x 1/2 | 239-32761-00 | 239-32761-00 | 239-32761-00 | 239-32761-00 | 239-32761-00 |
| 11 | Cover Aux. | --- | --- | 243-47670-00 | 243-47670-00 | --- |
| 12 | Clean Out O-Ring Gasket | 205-18427-00 | --- | 205-18427-00 | --- | --- |
| 13 | Clean Out Gasket (ASME) | --- | 205-32942-00 | --- | 205-32942-00 | 205-32942-00 |
| 14 | Clean Out Cover | 205-18428-00 | --- | 205-18428-00 | --- | --- |
| 15 | Clean Out Cover (ASME) | --- | 205-32941-00 | --- | 205-32941-00 | 205-32941-00 |
| 16 | Clean Out Cover Screws | 239-82166-00 | --- | 239-82166-00 | --- | --- |
| 17 | Clean Out Cover Screws (ASME) | --- | 239-32970-00 | --- | 239-32970-00 | 239-32970-00 |
| 18 | Clean Out Access Cover | 243-20299-00 | 243-20299-00 | 243-20299-00 | 243-20299-00 | 243-20299-00 |

* A combination temperature and pressure relief valve is required by code as a protective device. It is not normally supplied by the tank manufacturer as original equipment. It is traditionally provided by the installer and is shown here for replacement parts purposes. The T&P valve for these storage tanks must be rated for the BTU input of the heater of the system where installed. P/N 230-33630-04 T&P valve 1" NPT female thread rated for 750,000 BTU.



BRADFORD WHITE®

W A T E R H E A T E R S

Ambler, PA

For U.S. and Canada field service,
contact your professional installer or
local Bradford White sales representative.

Sales/800-523-2931
Fax/215-641-1670
Parts Fax/215-641-2180

Technical Support/800-334-3393
Fax/269-795-1089

Warranty/800-531-2111
Fax/269-795-1089

International:
Telephone/215-641-9400
Telefax/215-641-9750



BRADFORD WHITE-CANADA® INC.

Mississauga, ON

Sales/866-690-0961
905-238-0100

Fax/905-238-0105

Technical Support/800-334-3393

Email

parts@bradfordwhite.com
techserv@bradfordwhite.com

www.bradfordwhite.com