

# **Hose & Supply Boxes 8292 Series**

Wall Frame with Door



8292

Fixture May Show Some Available Options

Please visit **www.acorneng.com** for most current specifications.

#### **Wall Frame with Door**

**The Acorn Wall Frame with Door** provides an easy access to valves, controls, piping, and equipment with a neat, attractive wall opening.

**Wall frame** is fabricated entirely from type 304 stainless steel and all exterior surfaces polished to a satin finish. Wall frame is one piece construction without welded corners. Wide beveled flange covers irregularities in the wall opening.

**Door** includes a cam cylinder lock with 2 keys. Concealed hinge is mounted in heavy reinforcing channel and allows the door to open full 150 degrees. After door is open, rugged, spring-loaded pivot pins permit quick removal of the door with a screwdriver.

Page 1 H.8292 Revised: 08/22/18

# Hose & Supply Boxes 8292 Wall Frame with Door


BASE MODEL NUMBER (Must Specify)


## PRODUCT OPTIONS (Must Specify)

₫-8292 Wall Frame with Door

□ - LLG Less Logo on Door□ - LRD Wall Flange, Less Door

Please visit  $\underline{\textit{www.acorneng.com}}$  for most current specifications.





### MODEL# 8292

#### NOTES:

- 1. Cam and Cylinder Lock.
- 2. Removable Door.
- 3. Beveled Flange.
- 4. Mounting Points.
- 5. Hardware by Others.
- 6. Finished Wall.

NOTE: Blocking Can Be Horizontal or Vertical

Λ	WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Important: Installation instructions and current rough-in are furnished with each fixture. Do not rough in without certified dimensions.  Dimensions are subject to manufacturer's tolerance of plus or minus 1/4" and change without notice. Acorn assumes no responsibility for use of void or superseded data. © Copyright 2006 Acorn Engineering Company						
Selection Summary		Approved for Manufacturing				
Model No. & Option		Company	Title			
Quantity		Signature	Date			

Page 2 H.8292 Revised: 08/22/18