

WaterSystems

4" Submersible Deep Well Pumps



Features

- 4 performance ranges – 5, 8, 12, and 22 gpm
- Available with thermoplastic discharge and motor bracket, or stainless steel discharge and motor bracket
- Ceramic bearing sleeve for durability
- Hex rubber bearing has an extra large surface to assure shaft stability and multiple flow channels to keep small particles away from bearing surfaces
- Celcon® disk allows for close tolerances for increased performance
- Stainless steel up thrust washer prevents excessive wear in severe applications
- Built-in, Flomatic® check valve keeps water in the system at all times
- Removable suction screen on both thermoplastic and stainless steel units prevents debris from clogging impellers and provides full flow performance
- Stainless steel shaft features high quality, premium materials at a competitive price
- Powered by Franklin Electric Super Stainless Motor

Celcon® is a registered trademark of the Celanese Corporation.
Flomatic® is a registered trademark of the Danfus Corporation.


LittleGIANT®

Pumps. People. Partnerships.


Specifications

Item Number	Model Number	Discharge Size (FNPT)	Discharge Type	GPM	HP	Stages	Volts	Wire	Shut Off (ft.)	Weight (lbs.)	UPC Code
558551	W5G05S13-21P	1-1/4"	Thermoplastic	5	1/2	13	115	2	364	26	0 10121 11836 2
558554	W5G05S13-32P	1-1/4"	Thermoplastic	5	1/2	13	230	3	364	25	0 10121 11839 3
558552	W5G07S18-22P	1-1/4"	Thermoplastic	5	3/4	18	230	2	528	29	0 10121 11837 9
558555	W5G07S18-32P	1-1/4"	Thermoplastic	5	3/4	18	230	3	528	30	0 10121 11840 9
558553	W5G10S21-22P	1-1/4"	Thermoplastic	5	1	21	230	2	614	33	0 10121 11838 6
558556	W5G10S21-32P	1-1/4"	Thermoplastic	5	1	21	230	3	614	34	0 10121 11841 6
558557	W8G05S9-21P	1-1/4"	Thermoplastic	8	1/2	9	115	2	275	24	0 10121 11842 3
558558	W8G05S9-22P	1-1/4"	Thermoplastic	8	1/2	9	230	2	275	24	0 10121 11843 0
558561	W8G05S9-32P	1-1/4"	Thermoplastic	8	1/2	9	230	3	275	24	0 10121 11846 1
558559	W8G07S12-22P	1-1/4"	Thermoplastic	8	3/4	12	230	2	365	28	0 10121 11844 7
558562	W8G07S12-32P	1-1/4"	Thermoplastic	8	3/4	12	230	3	365	28	0 10121 11847 8
558560	W8G10S15-22P	1-1/4"	Thermoplastic	8	1	15	230	2	455	33	0 10121 11845 4
558563	W8G10S15-32P	1-1/4"	Thermoplastic	8	1	15	230	3	455	33	0 10121 11848 5
558564	W12G05S7-21P	1-1/4"	Thermoplastic	12	1/2	7	115	2	231	24	0 10121 11849 2
558565	W12G05S7-22P	1-1/4"	Thermoplastic	12	1/2	7	230	2	231	24	0 10121 11850 8
558569	W12G05S7-32P	1-1/4"	Thermoplastic	12	1/2	7	230	3	231	24	0 10121 11854 6
558566	W12G07S9-22P	1-1/4"	Thermoplastic	12	3/4	9	230	2	291	28	0 10121 11851 5
558570	W12G07S9-32P	1-1/4"	Thermoplastic	12	3/4	9	230	3	291	28	0 10121 11855 3
558567	W12G10S12-22P	1-1/4"	Thermoplastic	12	1	12	230	2	399	31	0 10121 11852 2
558571	W12G10S12-32P	1-1/4"	Thermoplastic	12	1	12	230	3	399	32	0 10121 11856 0
558568	W12G15S17-22P	1-1/4"	Thermoplastic	12	1-1/2	17	230	2	545	38	0 10121 11853 9
558572	W12G15S17-32P	1-1/4"	Thermoplastic	12	1-1/2	17	230	3	545	39	0 10121 11857 7
558573	W22G10S7-22P	1-1/4"	Thermoplastic	22	1	7	230	2	221	30	0 10121 11858 4
558574	W22G10S7-32P	1-1/4"	Thermoplastic	22	1	7	230	3	221	33	0 10121 11859 1
558575	W5G05S13-21S	1-1/4"	Stainless Steel	5	1/2	13	115	2	364	26	0 10121 11860 7
558578	W5G05S13-32S	1-1/4"	Stainless Steel	5	1/2	13	230	3	364	25	0 10121 11863 8
558576	W5G07S18-22S	1-1/4"	Stainless Steel	5	3/4	18	230	2	528	29	0 10121 11861 4
558579	W5G07S18-32S	1-1/4"	Stainless Steel	5	3/4	18	230	3	528	30	0 10121 11864 5
558577	W5G10S21-22S	1-1/4"	Stainless Steel	5	1	21	230	2	614	33	0 10121 11862 1
558580	W5G10S21-32S	1-1/4"	Stainless Steel	5	1	21	230	3	614	34	0 10121 11865 2
558581	W8G05S9-21S	1-1/4"	Stainless Steel	8	1/2	9	115	2	275	24	0 10121 11883 6
558582	W8G05S9-22S	1-1/4"	Stainless Steel	8	1/2	9	230	2	275	24	0 10121 11866 9
558585	W8G05S9-32S	1-1/4"	Stainless Steel	8	1/2	9	230	3	275	24	0 10121 11869 0
558583	W8G07S12-22S	1-1/4"	Stainless Steel	8	3/4	12	230	2	365	28	0 10121 11867 6
558586	W8G07S12-32S	1-1/4"	Stainless Steel	8	3/4	12	230	3	365	28	0 10121 11870 6
558584	W8G10S15-22S	1-1/4"	Stainless Steel	8	1	15	230	2	455	33	0 10121 11868 3
558587	W8G10S15-32S	1-1/4"	Stainless Steel	8	1	15	230	3	455	33	0 10121 11871 3
558588	W12G05S7-21S	1-1/4"	Stainless Steel	12	1/2	7	115	2	231	24	0 10121 11872 0
558589	W12G05S7-22S	1-1/4"	Stainless Steel	12	1/2	7	230	2	231	24	0 10121 11873 7
558593	W12G05S7-32S	1-1/4"	Stainless Steel	12	1/2	7	230	3	231	24	0 10121 11877 5
558590	W12G07S9-22S	1-1/4"	Stainless Steel	12	3/4	9	230	2	291	28	0 10121 11874 4
558594	W12G07S9-32S	1-1/4"	Stainless Steel	12	3/4	9	230	3	291	28	0 10121 11878 2
558591	W12G10S12-22S	1-1/4"	Stainless Steel	12	1	12	230	2	399	31	0 10121 11875 1
558595	W12G10S12-32S	1-1/4"	Stainless Steel	12	1	12	230	3	399	32	0 10121 11879 9
558592	W12G15S17-22S	1-1/4"	Stainless Steel	12	1-1/2	17	230	2	545	38	0 10121 11876 8
558596	W12G15S17-32S	1-1/4"	Stainless Steel	12	1-1/2	17	230	3	545	39	0 10121 11880 5
558597	W22G10S7-22S	1-1/4"	Stainless Steel	22	1	7	230	2	221	30	0 10121 11881 2
558598	W22G10S7-32S	1-1/4"	Stainless Steel	22	1	7	230	3	221	33	0 10121 11882 9

Dimensional Data



Item	Model	GPM	Dimension "A"	Dimension "B"	Dimension "C"	Quick Disconnect Control Box (QD)
555575	W5G05S13-21S	5	13.75	9.51	26.90	-
558576	W5G07S18-22S	5	16.00	10.64	32.17	-
558577	W5G10S21-22S	5	20.09	11.73	35.46	-
558578	W5G05S13-32S	5	13.75	9.51	26.90	558814
558579	W5G07S18-32S	5	17.71	10.64	36.63	558823
558580	W5G10S21-32S	5	20.09	11.73	35.46	558833
558581	W8G05S9-21S	8	10.55	9.51	23.70	-
558582	W8G05S9-22S	8	10.55	9.51	23.70	-
558583	W8G07S12-22S	8	12.92	10.64	27.20	-
558584	W8G10S15-22S	8	15.29	11.73	30.66	-
558585	W8G05S9-32S	8	10.55	9.51	23.70	558814
558586	W807S12-32S	8	12.92	10.64	27.20	558823
558587	W8G10S15-32S	8	15.29	11.73	30.66	558833
558588	W12G05S7-21S	12	8.97	9.51	22.12	-
558589	W12G05S7-22S	12	8.97	9.51	22.12	-
558590	W12G07S9-22S	12	10.55	10.64	24.83	-
558591	W12G10S12-22S	12	12.92	11.73	28.29	-
558592	W12G15S17-22S	12	16.87	15.1	35.61	-
558593	W12G05S7-32S	12	8.97	9.51	22.12	558414
558594	W12G07S9-32S	12	10.55	10.64	24.83	558823
558595	W12G10S12-32S	12	12.92	11.73	28.29	558833
558596	W12G15S17-32S	12	16.87	13.6	34.11	558842
558597	W22G10S7-22S	22	10.84	11.73	26.11	-
558598	W22G10S7-32S	22	10.84	11.73	26.21	558834



Item	Model	GPM	Dimension "A"	Dimension "B"	Dimension "C"	Quick Disconnect Control Box (QD)
558551	W5G05S13-21P	5	12.03	9.51	27.07	-
558554	W5G05S13-32P	5	12.03	9.51	27.07	558814
558552	W5G07S18-22P	5	16.00	10.64	32.17	-
558555	W5G07S18-32P	5	16.00	10.64	32.17	558823
558553	W5G10S21-22P	5	18.37	11.73	36.63	-
558556	W5G10S21-32P	5	18.00	11.73	35.63	558833
558557	W8G05S9-21P	8	8.83	9.51	23.87	-
558558	W8G05S9-22P	8	8.83	9.51	23.87	-
558561	W8G05S9-32P	8	8.83	9.51	23.87	558814
558559	W8G07S12-22P	8	11.20	10.64	27.37	-
558562	W8G07S12-32P	8	11.20	10.64	27.37	558823
558560	W8G10S15-22P	8	13.57	11.73	30.83	-
558563	W8G10S15-32P	8	13.57	11.73	30.83	558833
558564	W12G05S7-21P	12	7.25	9.51	22.29	-
558565	W12G05S7-22P	12	7.25	9.51	22.29	-
558569	W12G05S7-32P	12	7.25	9.51	22.29	558814
558566	W12G07S9-22P	12	8.83	10.64	25.00	-
558570	W12G07S9-32P	12	8.83	10.64	25.00	558823
558567	W12G10S12-22P	12	11.20	11.73	28.46	-
558571	W12G10S12-32P	12	11.20	11.73	28.46	558833
558568	W12G15S17-22P	12	15.15	15.10	35.78	-
558572	W12G15S17-32P	12	15.15	13.60	34.28	-
558573	W22G10S7-22P	22	9.13	11.73	26.39	-
558574	W22G10S7-32P	22	9.13	11.73	26.39	558833