VURSA kd SERIES SHOWER STALL



SH3P-4832 BP2 R



MULTI-PIECE MODEL

SH3P-4832 (3-piece)

Rough-In Dimensions	48" wide x 33-1/4" deep x 76-1/2" high (with 4-inch dam)
Finished Dimensions	48" wide x 32" deep x 75-1/4" high (with 4-inch dam)
Unit Features	 Three - Piece Fiberglass Composite Construction Sanitary Grade Polyester Gelcoat Surface
NAHB RESEARCH CENTER	 Front-Side Installation With Minimal Sealant Requirements 3-3/8" Dia. Center Drain Anti-Drip Front Dam Ledge Twin Corner Accessory Ledges Generous, Upper Back Wall Shelving Wall Design Accommodates Grab Bar Applications
	 Textured Floor Pattern 1/2-inch Balsa Wood Core Floor Structure
Special Notes	 Ontional ABE Model (provides 3-inches of drain clearance)

Special Notes

- Optional ABF Model (provides 3-inches of drain clearance) 'QwikClic' Technology (Patents Pending)
- Factory Applied Reinforcement Packages Available (see following pages)
 Factory Applied Bar Packages Available (see following pages)




Order No.: SH3P-4832 (4" dam)

Order No.:SH3P-4832 ABF (6" dam)

48" x 32", 3-piece gelcoated fiberglass shower with 'QuikClic', front side installation, upper-level back wall shelves, twin corner accessory ledges and center drain.

NOTE: Base unit provides 1" drain clearance, ABF unit provides 3" drain clearance.




Shower Floor Area: 1340 sq. in.



Package Order No.: FH (Fair Housing wall reinforcement)


Package Includes: Factory applied, HUD-FHA compliant (Fair Housing), structurally reinforced wall areas (as shown) for independent field application of bars.



Package Order No.: 3SM (3-side, mid-level wall reinforcement)

Package Includes: Factory applied, 3-side, mid-level, structurally reinforced wall areas (as shown), exceeding 'Fair Housing' (HUD/FHA) requirements, for independent field application of bars.

NOTE: Factory installed bar packages available using 3SM reinforcement.






Package Order No.: 3SF (3-side, full-wall reinforcement)

Package Includes: Factory applied, 3-side, full-wrap, structurally reinforced wall areas (as shown), exceeding 'Fair Housing' (HUD/FHA) requirements, for independent field application of bars.

NOTE: Factory installed bar packages available using 3SF reinforcement.



Package Order No.: BP1-(R or L) (2-bar only package)


Upgrade Package No.: BP1-(R or L) WHT (1-1/4" dia., white powder coat, 2-bar only package)

BP1-(R or L) OFW (1-1/4" dia., off-white powder coat, 2-bar only package)

BP1-(R or L) SNK (1-1/4" dia., satin nickel, 2-bar only package)

Package Includes: Factory installed, 1-1/2" dia. stainless steel, 2-bar package with basic reinforcement for components (as shown). NOTE: Enhanced reinforcement available, see 3SM & 3SF packages.

NOTE: "R or L" designates RH or LH control wall (BP1-L illustrated).





Package Order No.: BP2-(R or L) (3-bar only package)

Upgrade Package No.: BP2-(R or L) WHT (1-1/4" dia., white powder coat, 3-bar only package)


BP2-(R or L) OFW (1-1/4" dia., off-white powder coat, 3-bar only package)

BP2-(R or L) SNK (1-1/4" dia., satin nickel, 3-bar only package))

Package Includes: Factory installed, 1-1/2" dia. stainless steel, 3-bar package with basic reinforcement for components (as shown).

NOTE: Enhanced reinforcement available, see 3SM & 3SF packages.

NOTE: "R or L" designates RH or LH control wall (BP2-L illustrated).




Package Order No.: BP3 (3-bar only package)

Upgrade Package No.: BP3 WHT (1-1/4" dia., white powder coat, 3-bar only package)

BP3 OFW (1-1/4" dia., off-white powder coat, 3-bar only package)

BP3 SNK (1-1/4" dia., satin nickel, 3-bar only package)

Package Includes: Factory installed, 1-1/2" dia. stainless steel, 3-bar package with basic reinforcement for components (as shown). NOTE: Enhanced reinforcement available, see 3SM & 3SF packages.





Package Order No.: BP5 (single-bar only package)

Upgrade Package No.: BP5 WHT (1-1/4" dia., white powder coat, single-bar only package)

BP5 OFW (1-1/4" dia., off-white powder coat, single-bar only package)

BP5 SNK (1-1/4" dia., satin nickel, single-bar only package)

Package Includes: Factory installed, 1-1/2" dia. stainless steel, single, back wall bar package (as shown). NOTE: Enhanced reinforcement available, see 3SM & 3SF packages.

