VURSA SERIES SHOWER STALL



48-INCH MODEL

SH-4836 (single seat)

Rough-In Dimensions	48" wide x 37-1/4" deep x 76-3/4" high (w/ 4-inch dam)
Finished Dimensions	48" wide x 36" deep x 75-1/2" high (w/ 4-inch dam)
Unit Features	 One - Piece Fiberglass Composite Construction Sanitary Grade Polyester Gelcoat Surface 3-3/8" Dia. Center Drain (see following pages) Elevated Corner Accessory Tower
NAHB RESEARCH CENTER	 Generous, Multi-Level Back Wall Shelving Single, Ergonomic Right or Left Hand Seat Ergonomic Corner Foot Rest For Shaving Flat Wall Design To Accommodate Grab Bar Applications Center, Lower Accessory Shelf With Wash Cloth Rod Low Profile Dam (standard) Textured Floor Pattern Balsa Wood Core Floor Structure
Special Notes	 Optional ABF Model (provides 3 Inches of drain clearance) Factory Applied Reinforcement Packages Available (see following pages) Factory Applied Bar Packages Available (see following pages)


SHOWER STALL

Order No.: SH-4836RS (RH seat / 4" dam) SH-4836LS (LH seat / 4" dam)

Oasis

SH-4836RS ABF (RH seat / 6" dam) SH-4836LS ABF (LH seat / 6" dam)


48" x 36", one-piece gelcoated fiberglass shower stall with a single right hand or left hand contoured corner seat, 4" low profile dam (1" drain clearance), multi-level shelves, corner accessory ledge, wall surround, and center drain. NOTE: ABF unit provides 3" drain clearance.





Package Order No.: FH (Fair Housing wall reinforcement)


Package Includes: Factory applied, HUD-FHA compliant (Fair Housing), structurally reinforced wall areas (as shown) for the independent field application of bars.



Package Order No.: 3SM (3-side, mid-level wall reinforcement)

Package Includes: Factory applied, 3-side, mid-level, structurally reinforced wall areas (as shown), exceeding 'Fair Housing' (HUD/FHA) requirements.


NOTE: Factory installed bar packages available using 3SM reinforcement.






Package Order No.: 3SF (3-side, full-wall reinforcement)

Package Includes: Factory applied, 3-side, full-wrap, structurally reinforced wall areas (as shown), exceeding 'Fair Housing' (HUD/FHA) requirements, for the independent field application of bars. NOTE: Factory installed bar packages available using 3SF reinforcement.



Package Order No.:BP1 (1-1/2" dia., stainless steel, 2-bar only package)Upgrade Package No.:BP1 WHT (1-1/4" dia., white powder coat, 2-bar only package)BP1 OFW (1-1/4" dia., off-white powder coat, 2-bar only package)BP1 SNK (1-1/4" dia., satin nickel, 2-bar only package)


Package Includes: Factory installed, 1-1/2" dia. stainless steel, 2-bar package with basic reinforcement for components (as shown). NOTE: Enhanced reinforcement available, see 3SM & 3SF packages.





Package Order No.:BP2 (3-bar only package)Upgrade Package No.:BP2 WHT (1-1/4" dia., white powder coat, 3-bar only package)BP2 OFW (1-1/4" dia., off-white powder coat, 3-bar only package)BP2 SNK (1-1/4" dia., satin nickel, 3-bar only package)

Package Includes: Factory installed, 1-1/2" dia. stainless steel, 3-bar package with basic reinforcement for components (as shown). NOTE: Enhanced reinforcement available, see 3SM & 3SF packages.



Photographic images may include optional components and appear different than actual product. Dimensions shown are maximum. Due to the nature of the materials involved, actual unit dimensions can vary (tolerances: +0 / -3/8 inch). Oasis reserves the right to modify or discontinue product and/or associated equipment without prior written or verbal notification or obligation.