




Z9A-FD2

FINISHED AREA FLOOR DRAIN

SPECIFICATION SHEET

TAG _____

Dimensional Data (inches and [mm]) are Subject to Manufacturing Tolerances and Change Without Notice



Dimensions In Inches						'F'	
MODEL NO.	A PIPE SIZE	B	C	D	E	Min.	Max.
Z9A-FD2-2	2 [52]	8 3/8 [132]	6 [152]	2 31/32 [76]	5 [127]	3/4 [19]	2 1/2 [64]
Z9A-FD2-3	3 [76]	8 3/8 [132]	6 [152]	3 11/16 [94]	6 3/16 [157]		
Z9A-FD2-4	4 [102]	8 3/8 [132]	6 [152]	3 13/16 [97]	6 5/16 [160]		

ENGINEERING SPECIFICATION: ZURN Z9A-FD2-Floor Drain-Flame Retardant polypropylene body with bottom outlet, polypropylene combination invertible membrane clamp with adjustable stainless steel head and grate.

OPTIONS (Check/specify appropriate options)

- ___ -FN 4" [102] Round Stainless Steel Funnel
- ___ -P 1/2" [13] Trap Primer Connection
- ___ -R5 5" [127] Diameter Stainless Steel Assembly
- ___ -R7 7" [178] Diameter Stainless Steel Assembly
- ___ -R8 8" [203] Diameter Stainless Steel Assembly
- ___ -SQ5 5" [127] Square Stainless Steel Top Assembly
- ___ -SQ6 6" [152] Square Stainless Steel Top Assembly
- ___ -SQ8 8" [203] Square Stainless Steel Top Assembly
- ___ -VP Vandal-Proof
- ___ -W Winter Closure Plug
- ___ -Y Stainless Steel Sediment Bucket

REV. E DATE: 7/13/06 C.N. NO. 95316

DWG. NO. 65898 PRODUCT NO. Z9A-FD2

*REGULARLY FURNISHED UNLESS OTHERWISE SPECIFIED

ZURN INDUSTRIES, INC. ♦ SPECIFICATION DRAINAGE OPERATION ♦ 1801 Pittsburgh Ave. ♦ Erie, PA 16514

Phone: 814/455-0921 ♦ Fax: 814/454-7929 ♦ World Wide Web: www.zurn.com

In Canada: ZURN INDUSTRIES LIMITED ♦ 3544 Nashua Drive ♦ Mississauga, Ontario L4V1L2 ♦ Phone: 905/405-8272 Fax: 905/405-1292