

{docs category="radS-183"}


18,500 BTUH Cooling Only



Our standard air conditioning units, all charged with the environmentally friendly refrigerant R-410A, encompass a wide range of popular sizes, from 12,000 to 25,000 BTUH. All units feature a wireless remote in addition to electronic controls. The solid, galvanized steel cabinets have a powder-coated finish in a neutral stone white finish. Decorator grilles complement any decor. Front-mounted filter is washable and reusable.

The 18,500 BTUH RADS-183 is Energy Star rated, 10.7 EER, for greater energy savings and will cooling approximately 700-1,000 square feet.

With its one degree temperature adjustment, comfort is accessed at the touch of a button using the electronic touchpad controls or handy remote. This makes it simple to select the desired temperature and maintain maximum comfort along with maximum efficiency.

The unit features four way adjustable air direction, energy saver mode, auto restart and 24-hour on/off timer. 

The model comes with a window mounting kit, making installation simple. Maximum wall

thickness is 9-1/4 inches.

Features

Slide-Out Filter—Easy to remove, front-mounted, slide-out filter is designed to trap dust and other foreign particles, keeping the air cleaner.

Window Mounting Kit—Makes installation fast and easy, providing a perfect fit in double-hung windows.

Adjustable Air direction—Four-way adjustable front louver lets you direct the airflow, providing uniform cooling and enhanced comfort.

Electronic Controls—Includes full feature remote, 24-hour on/off timer, energy saver mode, and auto restart.

Dehumidification Mode—Enhances comfort through humidity removal, 5.5 pints per hour.



Accessories

AS160 Window A/C Support Brackets

Manufactured from heavy gauge steel with a baked-on epoxy finish. Stainless steel hardware resists damaging weather. Easy install, complete safety makes it a must. Models: All Comfort-Aire units up to 160lbs.

