


ECO- touch™

PROGRAMMABLE
TOUCH SCREEN
WALL CONTROL



Fantech

Improving indoor air quality
through better ventilation

FRESH AIR at your fingertips

A new era in ventilation control has arrived. Introducing Fantech's new ECO-touch™ ventilation controller featuring complete touch screen technology. A smart design and user-friendly interface sets the ECO-touch above the rest, allowing homeowners to take comfort to the next level. Finally, cleaner air is within your reach.



Compatible with Fantech's SHR/VHR (HRV),
SER (ERV) and FLEX Series units.




ECO-friendly

With just one touch, the unique ECO Mode will automatically choose the best operating settings based on your home's current conditions, while lowering energy consumption by up to 25%.

Simple & sleek

The ECO-touch boasts a clean, modern style that will compliment any home decor with its smooth lines and sleek design.



Quick install

Fantech has simplified the installation process by designing a proprietary two-wire communication protocol which is not polarity sensitive.

Also, it can be mounted to a standard electrical box or directly to the wall.

COMPLETE control

Technologically advanced and feature-rich; the ECO-touch provides contractors and homeowners with a higher level of control over indoor air quality.

Automatic & Manual modes

Tailored to all types of users, the ECO-touch offers one-touch automatic operation (ECO Mode), as well as manual operation selections such as Ventilation Mode and Fan Speed.

Power when you need it

The MAX mode gives you the extra ventilating power you need to quickly clear the air by taking advantage of the system's powerful fans. During MAX mode, the system exchanges indoor air for outdoor air at maximum speed for a desired period of 20, 40 or 60 minutes.

Easy schedule programming

The ECO-touch is equipped with a light sensor that detects daylight within the home. This unique feature eliminates the need for setting multiple-day schedules and saves time when programming your ventilation system.

MORE features & settings

- Indoor temperature display (Fahrenheit or Celsius)
- Preferences for desired indoor relative humidity
- 2 x 3 inch (5.08 cm x 7.62 cm) LCD backlit touch screen
- Ventilation movement is displayed on screen
- Indoor relative humidity display
- No battery to replace
- Maintenance reminder indicator
- All programmable settings are retained during power outages
- Error code messages reduce troubleshooting time





EXCEPTIONAL service

We believe in providing complete customer satisfaction for both you and your clients. Our service team has the knowledge, skills and experience to support your needs, serve your customers and exceed your expectations. We strive to build lasting relationships that stand the test of time.



U.S.

10048 Industrial Blvd.
Lenexa, KS 66215
Phone: 800-747-1762
Fax: 800-487-9915

CANADA

50 Kanalfakt Way
Bouctouche, NB E4S 3M5
Phone: 800-565-3548
Fax: 877-747-8116

DISTRIBUTED LOCALLY BY:

www.fantech.net



Fantech reserves the right to modify, at any time and without notice, any or all of its products' features, designs, components and specifications to maintain their technological leadership position.