

Electric Floor Heating & Snow Melting Solutions







PEXHEAT.COM

Select mat, wire or cable to fit your installation.



Custom TapeMat®

- Order mat to your exact floor plan
- Simply unroll to fit the space
- No cuts or turns required




ShowerMat™

- Simple solution for built-in shower floor heating
- Standard 36 x 60" & 48 x 48" sizes
- 4" center drain cut out



TapeMat®

- Edged with easy-to-install two-sided tape
- Open-weave mesh allows mortar to easily bond with underlying material
- Approved for shower installation



WarmWire®

- Can be installed under tile or stone in wet applications
- Fits rooms of all shapes and sizes
- Install with CableStrap[™] or underlayment designed for heating wire



UnderFloor™ Mat

- Installs between floor joists to warm the room above
- No need to renovate the space
- Works under any type of floor covering including naildown hard wood



SlabHeat®

- Concrete slab or slab cap installation for radiant comfort.
- Engineered to handle the rigors of any concrete installation

Take control with a SunStat Thermostat.

SunStat® Thermostats


- Model options include Wi-Fi technology, energy saving schedules and touchscreen operation
- Dual voltage for 120 or 240V built in GFCI
- Air and floor temperature sensing
- Expand area of control with optional Relay C3







Select mats for fast installation in rectangular areas.




ProMelt® Mats

- Simplify electric snow melting installation with easy to install mats
- 2' or 3' wide rolls with 120, 208 and 240 VAC model options



Available at:

Select cable for flexibility in curved areas.



ProMelt® Cable

- Complete flexibility to match stairs, curves and free-form shapes
- Spaced at 3" or 4" OC depending on required Watts per square foot



Safe, reliable control for ProMelt systems.



ProMelt® Controls

- Automatic and manual melting options
- Pole-mount, in-slab or surface-mount sensing
- Control options from 30 to 200 Amps per unit
- 'All-in-one' control for smaller systems
- 24 VAC control with connection to ContactorPro for larger systems



Rely on our experience to make your next installation a success!

- 60 standard sizes to better fit your projects
- Polyurethane outer wire jacket for superior flexibility, abrasion & tear resistance
- Better low-temperature stability than PVC products
- World-class design, manufacturing and technical support
- Assembled in USA and backed by a 10-year warranty






©2015 Watts Radiant



Why Choose Watts Radiant?

- Flexible electric heating solutions for warming tile, stone, wood, carpet, laminate and other floor coverings
- Floor heating systems that cost only pennies a day to operate
- Product choices available for both new and retrofit construction
- Snow melting cables with polyurethane outer wire jacket for superior flexibility, abrasion and tear resistance
- Proven reputation with thousands of successful installations across North America
- World-class design, manufacturing and technical support with over 30 years in the floor heating business





F-WR-ElectricHeating 1529 MF10463 © 2015 Watts Radiant